



Modelo	Imagen	Descripcion
<p>PH01 (producto nuevo)</p>		<p>motion sensor function Telephone Camera</p> <ol style="list-style-type: none"> 1.Video recording function 2.Camcorder pixels: 1280x960; picture pixels 640*480 Lens: CMOS 1/4, 25-30bpf/s 3.Format: JPG,AVI,WAV 4 Support micr sd card: 2GB/4GB/8GB (Optional) 5.USB: 2.0(Hs) 6. Built-in Li-Battery: Working 2 hours continuously (Max) 7.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)
<p>DPV01 (producto nuevo)</p>		<p>Digital peephole viewer Telephone Camera</p> <ol style="list-style-type: none"> 1.Sehs9r:2.0M Pixel CMOS 2.View angle:150° 3.2.5inch TFT LCD Display 4.optical lens:View Angle 54° 5.Barrel:12mm,14mm 6.USB: 2.0(Hs) 7. 2AA battery 8.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)
		<p>Waterproof watch camera from 30m deep water 1080Pixel Waterproof watch camera</p>

W30B
(producto nuevo)



- 1.Video recording function
- 2.Camcorder pixels: 1920x1080; 12mega pixels
- Lens: CMOS 1/4 picture pixel:4032*3024
- 3.Format: JPG,AVI
- 4.Memory: 4GB/8GB (Optional)
- 5.USB: 2.0(Hs)
6. Built-in Li-Battery: Working 2 hours continuously (Max)
- 7.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)
10. LUX:1LUX
- 11.AV OUT Support

W30A
(producto nuevo)



- Waterproof watch camera from 30m deep water
1080Pixel Waterproof watch camera
- 1.Video recording function
 - 2.Camcorder pixels: 1920x1080; 12mega pixels
 - Lens: CMOS 1/4 picture pixel:4032*3024
 - 3.Format: JPG,AVI
 - 4.Memory: 4GB/8GB (Optional)
 - 5.USB: 2.0(Hs)
 6. Built-in Li-Battery: Working 2 hours continuously (Max)
 - 7.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)
 10. LUX:1LUX
 - 11.AV OUT Support

W29



- Waterproof watch camera from 30m deep water
1080Pixel Waterproof watch camera
- 1.Video recording function
 - 2.Camcorder pixels: 1920x1080; 12mega pixels
 - Lens: CMOS 1/4 picture pixel:4032*3024
 - 3.Format: JPG,AVI
 - 4.Memory: 4GB/8GB (Optional)
 - 5.USB: 2.0(Hs)
 6. Built-in Li-Battery: Working 2 hours continuously (Max)
 - 7.No need for driver installation if the operating



system is Windows7/ ME/ 2000/ XP/ Mac OS
9.2.2 Vista or above (windows98 is excepted)
10. LUX:1LUX

W28
(producto
nuevo)



mp3 Watch camera,web camera,set up
password for record file
Waterproof watch camera from 30m deep water
Waterproof watch camera
1.Video recording function
2.Camcorder pixels: 640x480/60fps; 8 mega
pixels ,
Lens: CMOS 1/4
3.Format: AVI,WAV,MP3
4.Memory: 4GB/8GB (Optional)
5.USB: 2.0(Hs)
6. Built-in Li-Battery: Working 2 hours
continuously (Max)
7.No need for driver installation if the operating
system is Windows7/ ME/ 2000/ XP/ Mac OS
9.2.2 Vista or above (windows98 is excepted)
10.Earphone output

W26



Waterproof watch camera from 30m deep water
Waterproof watch camera
1.Video recording function
2.Camcorder pixels: 1280x720; 12 mega pixels
,
Lens: CMOS 1/4 picture pixel:1600*1200
3.Format: JPG,AVI,WAV
4.Memory: 4GB/8GB (Optional)
5.USB: 2.0(Hs)
6. Built-in Li-Battery: Working 2 hours
continuously (Max)
7.No need for driver installation if the operating
system is Windows7/ ME/ 2000/ XP/ Mac OS
9.2.2 Vista or above (windows98 is excepted)
10.AV out support



Waterproof watch camera from 30m deep water

W24



Waterproof watch camera

- 1.Video recording function
- 2.Camcorder pixels: 1280x720; 12 mega pixels ,
- Lens: CMOS 1/4 picture pixel:4032*3024
- 3.Format: JPG,AVI,WAV
- 4.Memory: 4GB/8GB (Optional)
- 5.USB: 2.0(Hs)
6. Built-in Li-Battery: Working 2 hours continuously (Max)
- 7.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

W23



motion sensor function

Waterproof watch camera from 30m deep water

Waterproof watch camera

- 1.Video recording function
- 2.Camcorder pixels:1280*960; 5 mega pixels ,
- Lens: CMOS 1/4 picture pixel:1600*1200
- 3.Format: JPG,AVI,WAV
- 4.Memory: 4GB/8GB (Optional)
- 5.USB: 2.0(Hs)
6. Built-in Li-Battery: Working 2 hours continuously (Max)
- 7.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

W20B



motion sensor function

Waterproof watch camera from 30m deep water

Waterproof watch camera

- 1.Video recording function
- 2.Camcorder pixels: 1280x960; 8 mega pixels ,
- Lens: CMOS 1/4 picture pixel:3264*2448
- 3.Format: JPG,AVI,WAV
- 4.Memory: 4GB/8GB (Optional)
- 5.USB: 2.0(Hs)
6. Built-in Li-Battery: Working 2 hours continuously (Max)



7.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

W20A



motion sensor function
Waterproof watch camera from 30m deep water
Waterproof watch camera
1.Video recording function
2.Camcorder pixels: 1280*960; 5mega pixels ,
Lens: CMOS 1/4 picture pixel:1600*1200
3.Format: JPG,AVI,WAV
4.Memory: 4GB/8GB/16GB (Optional)
5.USB: 2.0(Hs)
6. Built-in Li-Battery: Working 2 hours continuously (Max)
7.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

W20



Waterproof watch camera from 30m deep water
Waterproof watch camera
1.Video recording function
2.Camcorder pixels: 1280x960; 8 mega pixels ,
Lens: CMOS 1/4 picture pixel:3264*2448
3.Format: JPG,AVI,WAV
4.Memory: 4GB/8GB/16GB (Optional)
5.USB: 2.0(Hs)
6. Built-in Li-Battery: Working 2 hours continuously (Max)
7.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)



1.Video recording function
2.Camcorder pixels: 1280x960; 8 mega pixels ,
Lens: CMOS 1/4 picture pixel:3264*2448
3.Format: JPG,AVI,WAV
4.Memory: 4GB/8GB/16GB (Optional)

W17



- 5.USB: 2.0(Hs)
- 6. Built-in Li-Battery: Working 2 hours continuously (Max)
- 7.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

W16



HD watch camera

- 1.Video recording function
- 2.Camcorder pixels: 1280x720; 5 mega pixels , Lens: CMOS 1/4 picture pixel:1600*1200
- 3.Format: JPG,AVI
- 4.Memory: 4GB/8GB/16GB (Optional)
- 5.USB: 2.0(Hs) continuously (Max)
- 7.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)
- 8,support AV OUT,AV IN

W15

(producto nuevo)



HD watch camera

- 1.Video recording function
- 2.Camcorder pixels: 1280x720; 5mega pixels , Lens: CMOS 1/4 picture pixel:1600*1200
- 3.Format: JPG,AVI
- 4.Memory: 4GB/8GB/16GB (Optional)
- 5.USB: 2.0(Hs)
- 6. Built-in Li-Battery: Working 2 hours continuously (Max)
- 7.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)
- 8,support AV OUT,AV IN



HD watch camera

- 1.Video recording function
- 2.Camcorder pixels: 1280x720; 5mega pixels ,

W15A
(producto nuevo)



Lens: CMOS 1/4 picture pixel:1600*1200
3.Format: JPG,AVI
4.Memory: 4GB/8GB/16GB (Optional)
5.USB: 2.0(Hs)
6. Built-in Li-Battery: Working 2 hours continuously (Max)
7.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)
8,support AV OUT,AV IN

W14
(producto nuevo)



mp3 Watch camera,web camera,set up password for record file
Waterproof watch camera from 30m deep water
Waterproof watch camera
1.Video recording function
2.Camcorder pixels: 640x480/60fps; 8 mega pixels ,
Lens: CMOS 1/4
3.Format: AVI,WAV,MP3
4.Memory: 4GB/8GB (Optional)
5.USB: 2.0(Hs)
6. Built-in Li-Battery: Working 2 hours continuously (Max)
7.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)
10.Earphone output

Y2000



Keychain camera
Web camera,SPY Camera,Mini camera
1.Camcorder pixels: 640x480/30fps; 5mega pixels , picture pixel:1600*1200
Lens: CMOS 1/4
2.Format: AVI,JPG
3.Support Micro sd card: 2GB-16GB(Optional)
4.USB: 2.0(Hs)
5. Built-in Li-Battery: Working 2 hours continuously (Max)
6.No need for driver installation if the operating



system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

Y3000
(producto nuevo)



720pxiel Keychain camera
Web camera,SPY Camera,Mini camera
1.Camcorder pixels: 1280x720/30fps; 5mega pixels , picture pixel:3264*2448
Lens: CMOS 1/4
2.Format: AVI,JPG
3.Support Micro sd card: 2GB-16GB(Optional)
4.USB: 2.0(Hs)
5. Built-in Li-Battery: Working 2 hours continuously (Max)
6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

MC01A
(producto nuevo)



motion sensor function
Web camera,SPY Camera,Mini camera
1.Camcorder pixels: 1280x960/30fps; 8mega pixels , picture pixel:3264*2448
Lens: CMOS 1/4
2.Format: AVI,JPG,WAV
3.Support Micro sd card: 2GB-16GB(Optional)
4.USB: 2.0(Hs)
5. Built-in Li-Battery: Working 2 hours continuously (Max)
6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

MC01



Color: Black,Silver,White
Web camera,SPY Camera,Mini camera
1.Camcorder pixels: 1280x960/30fps; 8mega pixels , picture pixel:2048*1536
Lens: CMOS 1/4
2.Format: AVI,JPG,WAV
3.Support Micro sd card: 2GB-16GB(Optional)
4.USB: 2.0(Hs)
5. Built-in Li-Battery: Working 2 hours continuously (Max)
6.No need for driver installation if the operating

system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

CL09
(producto nuevo)



motion sensor clock camera

Tabel colok hidden camera and video recorder, mini DVR, take photo, Remote control

Travel clock camera

1.Camcorder pixels: 1280x960/30fps; 5mega pixels , 3264x2448

Lens: CMOS 1/4

2.Format: JPG,AVI

3.SupportMicro sd Memory:1-32GB(Optional)

4.USB: 2.0(Hs)

5. Li-Battery: Working 2 hours

continuously (Max)

6.No need for driver installation if the operating

system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

CL08
(producto nuevo)



motion sensor clock camera

Tabel colok hidden camera and video recorder, mini DVR, take photo, Remote control,Audio recorder

HD clock camera

1.Camcorder pixels: 1280x720/30fps; 5mega pixels , 1600*1200

Lens: CMOS 1/4

2.Format: JPG,AVI,WAV

3.SupportMicro sd Memory:1-16GB(Optional)

4.USB: 2.0(Hs)

5. Li-Battery: Working 12 hours

continuously (Max)

6.No need for driver installation if the operating

system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

motion sensor clock camera

CL07



Tabel colok hidden camera and video recorder, mini DVR, take photo, Remote control

- 1.Camcorder pixels: 1280x720/30fps; 5mega pixels , 2048*1536
- Lens: CMOS 1/4
- 2.Format: JPG,AVI,WAV
- 3.SupportMicro sd Memory:1-16GB(Optional)
- 4.USB: 2.0(Hs)
5. Li-Battery: Working 12 hours continuously (Max)
- 6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

CL03



True Lighter hidden camera and video recorder,web camrea

- 1.Camcorder pixels: 1280x960/30fps;
- Lens: CMOS 1/4
- 2.Format: AVI
- 3.SupportMemory:1-16GB(Optional)
- 4.USB: 2.0(Hs)
5. Built-in Li-Battery: Working 2 hours continuously (Max)
- 6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

motion sensor clock camera



Tabel colok hidden camera and video recorder, mini DVR, take photo, Remote control

- 1.Camcorder pixels: 1280x960/30fps; 5mega pixels , 2560*1920
- Lens: CMOS 1/4
- 2.Format: JPG,AVI
- 3.SupportMicro sd Memory:1-32GB(Optional)
- 4.USB: 2.0(Hs)

CL01



5. Li-Battery: Working 2 hours continuously (Max)

6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

K02A



Car keychain hidden camera and video recorder, mini DVR, take photo,

1.Camcorder pixels:720x480/30fps; 2mega pixels , picture pixel:1280*1024

Lens: CMOS 1/4

2.Format: JPG,AVI,WAV

3.SupportMemory:1-16GB(Optional)

4.USB: 2.0(Hs)

5. Built-in Li-Battery: Working 2 hours continuously (Max)

6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

K03A



Remote Control car key camera

1.Camcorder pixels:720x480; 2 mega pixels , Photo pixels:1280X1024

Lens: CMOS 1/4

2.Format: JPG,AVI

3.SupportMemory:1-16GB(Optional)

4.USB: 2.0(Hs)

5. Built-in Li-Battery: Working 2 hours continuously (Max)

6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)



Remote Control car key camera

1.Camcorder pixels:720x480; 2 mega pixels , voice control function

Lens: CMOS 1/4

K04



- 2.Format: JPG,AVI
- 3.SupportMemory:1-16GB(Optional)
- 4.USB: 2.0(Hs)
- 5. Built-in Li-Battery: Working 2 hours continuously (Max)
- 6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

CA01



- 1.Camcorder pixels:720x480; 2 mega pixels , Lens: CMOS 1/4
- 2.Format: JPG,AVI
- 3.SupportMemory:1-16GB(Optional)
- 4.USB: 2.0(Hs)
- 5. Built-in Li-Battery: Working 2 hours continuously (Max)
- 6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

P21
(producto



- audio recorder**
- Web camera**
- 1.Camcorder pixels: 1280x720; 8mega pixels , picture pixel:4032*3024
- Lens: CMOS 1/4
- 2.Format: AVI,JPG,WAV
- 3.Support memory: 2GB-16GB(Optional)
- 4.USB: 2.0(Hs)
- 5. Built-in Li-Battery: Working 2 hours continuously (Max)
- 6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)



- motion sensor function**
- Web camera**
- 1.Camcorder pixels: 1280x960; 8mega pixels
- Lens: CMOS 1/4

P20



- 2.Format: AVI,JPG
- 3.Support Micro sd card: 2GB-16GB(Optional)
- 4.USB: 2.0(Hs)
- 5. Built-in Li-Battery: Working 2 hours continuously (Max)
- 6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

P08



motion sensor function

Web camera

- 1.Camcorder pixels: 1280x960; 8mega pixels
Lens: CMOS 1/4
- 2.Format: AVI,JPG
- 3.Support Micro sd card: 2GB-16GB(Optional)
- 4.USB: 2.0(Hs)
- 5. Built-in Li-Battery: Working 2 hours continuously (Max)
- 6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

P17



Web camera,switch for hidden camera


- web camera,single audio record,take picture
- 1.Camcorder pixels: 1280x720; 1.2mega pixels
, picture pixel:4032*3024
Lens: CMOS 1/4
- 2.Format: AVI,JPG,WAV
- 3.Support micro sd card: 1GB-16GB(Optional)
- 4.USB: 2.0(Hs)
- 5. Built-in Li-Battery: Working 2 hours continuously (Max)
- 6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)



Web camera

- 1.Camcorder pixels: 1280x720; 1.2mega pixels
, picture pixel:4032*3024
Lens: CMOS 1/4
- 2.Format: AVI,JPG,WAV

P16



- 3.Support memory: 2GB/4GB/8GB(Optional)
- 4.USB: 2.0(Hs)
- 5. Built-in Li-Battery: Working 2 hours continuously (Max)
- 6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

P11



Web camera

- 1.Camcorder pixels: 1280x960; 8mega pixels , picture pixel:3264*2448
- Lens: CMOS 1/4
- 2.Format: AVI,JPG
- 3.Support Micro sd card: 2GB-16GB(Optional)
- 4.USB: 2.0(Hs)
- 5. Built-in Li-Battery: Working 2 hours continuously (Max)
- 6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

CDV600A



- audio record function,web cam,
- Night Car camera from 8pcs x-red**
- 1.Resolution:1280 x 720/640 x 480pixels (high pixels) recording for 5hour,8 mega Picture size:1600*1200
- 2.2.5inch displayer
- 3.Lens: CMOS 1/4 180 circumgyrate
- 4.Format: AVI,JPG
- 5.HDMI
- 6.Built in microphone
- 7.Support: SD/MMC ARD(1GB-64GB)
- 8.lux:1lux
- 9.Power Source:Li-ion rechargeable battery or Car charger
- 10.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)
- 11.angle:120°
- 12:size: 6CM*6.1CM*5CM
- audio record function,web cam,
- Night Car camera from 6pcs x-red**

CDV600B
(producto nuevo)



- 1.Resolution:1280 x960/1280 x720/640 x 480pixels (high pixels) recording for 5hour,8 mega Picture size:1600*1200
- 2.2.5inch displayer
- 3.Lens: CMOS 1/4 180 circumgyrate
- 4.Format: AVI,JPG
- 5.HDMI
- 6.Built in microphone
- 7.Support: SD/MMC ARD(1GB-64GB)
- 8.lux:1lux
- 9.Power Source:Li-ion rechargeable battery or Car charger
- 10.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)
- 11.angle:140°

CDV700B
(producto nuevo)



Dual Camera traffic redorder

Car camera,

Visual Angel:90°

1.Camcorder pixels: 1280*720; 8mega pixels 3264*2448

Lens: CMOS 1/4

2.Format: AVI,JPG

3.Support micro sd card: 1GB-32GB(Optional)

4.USB: 2.0(Hs)

5. Built-in Li-Battery: Working 6 hours continuously (Max)

6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

waterproof camera


Car camera,For bike camera , photo taken ,video recorder ,andio recorder

1.Camcorder pixels: 720*480; 1.2mega pixels , picture pixel:1280*1024

Lens: CMOS 1/4

2.Format: AVI,JPG

3.Support micro sd card: 1GB-16GB(Optional)



CDV700



- 4.USB: 2.0(Hs)
- 5. Built-in Li-Battery: Working 2 hours continuously (Max)
- 6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

CDV800



- Car record function,web cam,waterproof function,evening recorder
- 1.2.0inch TFT LCD
- 2.Resolution:1280*720/720*480pixels (high pixels) recording ,8 mega Picture size:3264*2448/2592*1944/2048*1536/128*1024
- 3.Lens: CMOS 1/4
- 4.Format: AVI,JPG,WAV
- 5.AV-Out,USB2.0
- 6.Built in microphone
- 7.Support: SD/MMC ARD(128MB-32GB)
- 8.lux:1lux
- 9.Power Source:Li-ion rechargeable battery or Car charger
- 10.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

CDV500
(producto nuevo)



- Night Car camera from 2pcs Hi-light LED**
- Car camera,**
- Visual Angel:140°
- 1.Camcorder pixels: 1280*960/720*480/640*480; 5mega pixels
- Lens: CMOS 1/4
- 2.Format: AVI,JPG
- 3.Support micro sd card: 1GB-32GB(Optional)
- 4.USB: 2.0(Hs)
- 5. Built-in Li-Battery: Working 6 hours continuously (Max)
- 6.No need for driver installation if the operating

system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)



CDV400

Car camera,For bike camera

- 1.Camcorder pixels: 720*480; 1.2mega pixels , picture pixel:1280*1024
- Lens: CMOS 1/4
- 2.Format: AVI,JPG
- 3.Support micro sd card: 1GB-16GB(Optional)
- 4.USB: 2.0(Hs)
- 5. Built-in Li-Battery: Working 2 hours continuously (Max)
- 6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

audio record function,web cam,photo taken and video recorder

Car camera

- 1.Resolution:1280 x 720/720 x 480pixels (high pixels) recording for 5hour,8 mega Picture size:3264*2448,2592*1944, 2048*1536,1280*1024
- 2.2.4inch displayer
- 3.Lens: CMOS 1/4 180 circumgyrate
- 4.Format: AVI,JPG,WAV
- 5.Built in microphone
- 6.Support: SD/MMC ARD(1GB-64GB)
- 7.lux:1lux
- 8.Power Source:Li-ion rechargeable battery or Car charger
- 9.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)
- 10.angle:120°
- 11.AV OUT

CDV400B
(producto nuevo)



audio record function,web cam,

Car camera

CDV400A



- 1.Resolution:1280 x 720/640 x 480pixels (high pixels) recording for 5hour,8 mega Picture size:1600*1200
- 2.2.5inch displayer
- 3.Lens: CMOS 1/4 180 circumgyrate
- 4.Format: AVI,JPG
- 5.HDMI
- 6.Built in microphone
- 7.Support: SD/MMC ARD(1GB-64GB)
- 8.lux:1lux
- 9.Power Source:Li-ion rechargeable battery or Car charger
- 10.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)
- 11.angle:120°

CDV100
(producto nuevo)



audio record function,web cam,

- 1.Resolution:1280 x 960/640 x 480pixels (high pixels) recording for 5hour,8 mega Picture size:1600*1200
- 2.2.5inch displayer
- 3.Lens: CMOS 1/4 180 circumgyrate
- 4.Format: AVI,JPG
- 5.HDMI
- 6.Built in microphone
- 7.Support: SD/MMC ARD(1GB-64GB)
- 8.lux:1lux
- 9.Power Source:500mHALi-ion rechargeable battery or Car charger
- 10.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)
- 11.angle:120°
- 12.TV-OUT



Car camera,

Visual Angel:90°

- 1.Camcorder pixels: 640*480; 5mega pixels
- Lens: CMOS 1/4
- 2.Format: AVI,JPG

CDV100A



- 3.Support micro sd card: 1GB-32GB(Optional)
- 4.USB: 2.0(Hs)
- 5. Built-in Li-Battery: Working 6 hours continuously (Max)
- 6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)
- 10.TV OUT

CDV200
(producto nuevo)



- audio record function,web cam,
- Night Car camera from 8pcs x-red**
- 1.Resolution:1280*960/640*480/320*240 pixels (high pixels) recording for 5hour,8 mega Picture size:1600*1200
- 2.2.5inch displayer
- 3.Lens: CMOS 1/4 180 circumgyrate
- 4.Format: AVI,JPG
- 5.Built in microphone
- 6.Support: SD/MMC ARD(1GB-64GB)
- 7.lux:1lux
- 8.Power Source:Li-ion rechargeable battery or Car charger
- 9.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)
- 10.angle:140°
- 11.AV output

CDV200A



- audio record function,web cam,
- Night Car camera from 4pcs x-red**
- 1.Resolution:1280 x 720/848*480/640 x 480pixels (high pixels) recording for 5hour,8 mega Picture size:2592*1944
- 2.2.5inch displayer
- 3.Lens: CMOS 1/4 180 circumgyrate
- 4.Format: AVI,JPG
- 5.HDMI
- 6.Built in microphone
- 7.Support: SD/MMC ARD(1GB-64GB)
- 8.lux:1lux
- 9.Power Source:Li-ion rechargeable battery or Car charger
- 10.No need for driver installation if the operating



system is Windows7/ ME/ 2000/ XP/ Mac OS
9.2.2 Vista or above (windows98 is excepted)

11.angle:120°

12.AV out

CDV200B
(producto
nuevo)



audio record function,web cam,

Night Car camera from 4pcs x-red

1.Resolution:1280 x 720/640 x 480pixels (high
pixels) ,5 mega Picture size:1600*1200

2.2.5inch displayer

3.Lens: CMOS 1/4 180 circumgyrate

4.Format: AVI,JPG

5.HDMI

6.Built in microphone

7.Support: SD/MMC ARD(1GB-32GB)

8.lux:1lux

9.Power Source:800mHA Li-ion rechargeable
battery

or Car charger

10.No need for driver installation if the operating
system is Windows7/ ME/ 2000/ XP/ Mac OS
9.2.2 Vista or above (windows98 is excepted)

11.angle:120°

CDV1000
(producto
nuevo)



1080P Car camera,

1.Camcorder

pixels:1920*1080/1280*720/640*480/848*480/320
*240; 5mega pixels , picture pixel:2560*1920

Lens: CMOS 1/4

2.Format: AVI,JPG

3.Support micro sd card: 1GB-32GB(Optional)

4.USB: 2.0(Hs)

5. Built-in Li-Battery: Working 5 hours

continuously (Max)

6.No need for driver installation if the operating
system is Windows7/ ME/ 2000/ XP/ Mac OS
9.2.2 Vista or above (windows98 is excepted)

7.HDMI Out

8.angle:140°

SU01



Sunglass hidden camera and video recorder, mini DVR, take photo, and video

- 1. Camcorder pixels: 1280x960/30fps; picture pixel: 3264*2448
- Lens: CMOS 1/4
- 2. Format: AVI, JPG
- 3. Support Memory: 1-16GB (Optional)
- 4. USB: 2.0 (Hs)
- 5. Built-in Li-Battery: Working 2 hours continuously (Max)
- 6. No need for driver installation if the operating system is Windows 7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (Windows 98 is excepted)

SU04



Sunglass hidden camera and video recorder, mini DVR, take photo, and video

- 1. Camcorder pixels: 1280x720/30fps; picture pixel: 4032*3024
- Lens: CMOS 1/4
- 2. Format: AVI, JPG
- 3. Support Memory: 1-16GB (Optional)
- 4. USB: 2.0 (Hs)
- 5. Built-in Li-Battery: Working 2 hours continuously (Max)
- 6. No need for driver installation if the operating system is Windows 7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (Windows 98 is excepted)


SU05



Sunglass hidden camera and video recorder, mini DVR, take photo, and video

- 1. Camcorder pixels: 720x480/30fps; picture pixel: 2560*1920
- Lens: CMOS 1/4
- 2. Format: AVI, JPG
- 3. Support Memory: 1-16GB (Optional)
- 4. USB: 2.0 (Hs)
- 5. Built-in Li-Battery: 550Mha Working 2 hours

(producto nuevo)



continuously (Max)
6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

SU06
(producto nuevo)

Real HD 1280 x 720 Glasses DVR



**Real HD 720Pixel sunglass camera
Sunglass hidden camera and video recorder,
mini DVR, take photo, and video**

1.Camcorder pixels: 1280x720/30fps; picture pixel:2560*1920
Lens: CMOS 1/4
2.Format: AVI,JPG
3.Memory:2-32GB(Optional)
4.USB: 2.0(Hs)
5. Built-in Li-Battery: Working 2 hours
continuously (Max)
6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

SU06A
(producto nuevo)



**Real HD 720Pixel sunglass camera
Sunglass hidden camera and video recorder,
mini DVR, take photo, and video**

1.Camcorder pixels: 1280x720/30fps; picture pixel:2560*1920
Lens: CMOS 1/4
2.Format: AVI,JPG
3.Memory:2-32GB(Optional)
4.USB: 2.0(Hs)
5. Built-in Li-Battery: Working 2 hours
continuously (Max)
6.No need for driver installation if the operating system is Windows7/ ME/ 2000/ XP/ Mac OS 9.2.2 Vista or above (windows98 is excepted)

Real HD 720Pixel sunglass camera

SU06B
(producto
nuevo)



**Sunglass hidden camera and video recorder,
mini DVR, take photo, and video**

1.Camcorder pixels: 1280x720/30fps; picture
pixel:2560*1920

Lens: CMOS 1/4

2.Format: AVI,JPG

3.Memory:2-32GB(Optional)

4.USB: 2.0(Hs)

5. Built-in Li-Battery: Working 2 hours

continuously (Max)

6.No need for driver installation if the operating
system is Windows7/ ME/ 2000/ XP/ Mac OS
9.2.2 Vista or above (windows98 is excepted)

SU03



camera+MP3

**Sunglass hidden camera and video recorder,
mini DVR, take photo, and video**

1.Camcorder pixels: 640x480/30fps; picture
pixel:1280*1024

Lens: CMOS 1/4

2.Format: AV,JPG mp3, wma, and other music
formats

3.SupportMemory:1-8GB(Optional)

4.USB: 2.0-4.0(Hs)

5. Built-in Li-Battery: Working 2 hours

continuously (Max)

6.No need for driver installation if the operating
system is Windows7/ ME/ 2000/ XP/ Mac OS
9.2.2 Vista or above (windows98 is excepted)

(Camera+video+MP3+TFcard)

e.g. wmv, mp3, wma, and other music formats.

Power Supply : built-in 550mAh lipolymer battery

Power duration: 4-5 hours

Power Adaptor: 5V DC/500 mAh

With extended memory slot for TF/MicroSD Card

Camera hardware resolution: 1.3mage photo
:1280*1024

Reading Speed > 700kbs, write >500Kbs

SU02



Resolution: 640*480

Playing Speed: 30fps

Audio : Stereo

Power Consumption: <0.4W

Support Format:AVI,JPG,MP3,WMA etc

Card Slot: TF/Micro SD card

Color Available : Black White

*Physical weight 39g with battery

Working Temperature: 0 C - 60 C

Storage Temperature: -20 C - 80 C

Operating System: Win98, WinMe, WinXP,
Win2000, Windows Vista,Windows7

Feature

With Tintless lens for indoor usage and dark lens for outdoor use.

Sleek and elegant design suits for both men and women users.

A must equipment and highly recommended device

for journalist, traffic police, travelers and etc.

Easy connection with PC/Laptops, no driver

camera+MP3

**Sunglass hidden camera and video recorder,
mini DVR, take photo, and video**

1.Camcorder pixels: 640x480/30fps; picture
pixel:1280*1024

Lens: CMOS 1/4

2.Format: AV,JPG mp3, wma, and other music
formats

3.SupportMemory:1-8GB(Optional)

4.USB: 2.0-4.0(Hs)

5. Built-in Li-Battery: Working 2 hours
continuously (Max)

6.No need for driver installation if the operating
system is Windows7/ ME/ 2000/ XP/ Mac OS
9.2.2 Vista or above (windows98 is excepted)